6750W

HANDS-FREE BM MINI DOOR-ENTRY PHONE. S2

SIMPLEBUS2

Mini series door-entry phone with full-duplex audio and integrated magnetic induction amplification system. Allows loudspeaker volume control and ringtone volume control, with choice of different melodies. Equipped with 5 touch sensitive buttons for audio key, lock-release, actuator control, switchboard call and privacy function, with door status indicator LED. Manages floor door calls as standard. Complete with 2 x 8-position dip-switches for programming user code and buttons. Wall-mounted. The door-entry phone can be used in Simplebus2 2-wire systems with mixer art. 4888C, Simplebus2 with power supply art. 1210 or kit that use the power supply art. 1209. Complete with distribution terminal art. 1214/2C. Dimensions: 105x105x20 mm.

AWARDS

6750W

HANDS-FREE BM MINI DOOR-ENTRY PHONE. S2

GENERAL DATA	
Height (mm)	105
Width (mm)	105
Depth (mm)	20

HARDWARE FEATURES	
Removable terminals	Yes

SETTINGS	
Loudspeaker volume control	Yes
Ringtone volume control	Yes

MAIN FEATURES	
Audio/video system	Yes
Wall-mounted	Yes
Desk base-mounted	Si
Hands-free function	Yes
Induction loop function	Yes
Colour	White
Sensitive Touch technology	Yes
Total buttons (n°)	5
LED signaling (no.) (n°)	3

FUNCTIONS	
Actuator control function	Yes
Switchboard call function	Yes
Priority calls	Yes
Intercom function	Yes
Selective intercom call	Yes
Call to multiple addresses	Yes
Privacy function	Yes

Technical specifications are subject to change without prior notice and refer to the latest version of the product released.

6750W

HANDS-FREE BM MINI DOOR-ENTRY PHONE. S2

FUNCTIONS

Doctor	Yes
Floor door call function	Yes
Electronic bell	Yes
Customisable ringtone	Yes
Key button function	Yes

COMPATIBILITY

Simplebus 2 audio/video system	Yes
Building Kit audio/video system	Yes
Kit audio/video system	Yes

TECHNICAL CHARACTERISTICS

Supply voltage	22÷35VDC
Absorption during communication (mA)	130
Operating temperature (°C)	5 ÷ 40
Operating humidity (% RH max)	25÷75
Weight (g)	150
Clamps	L L CFP1 CFP2

Technical specifications are subject to change without prior notice and refer to the latest version of the product released.

6750W

HANDS-FREE BM MINI DOOR-ENTRY PHONE. S2

ACCESSORIES

6754 **Adapter plate for Mini Handsfree audio**

Adapter plate for Mini Handsfree audio door-entry monitor.

Technical specifications are subject to change without prior notice and refer to the latest version of the product released.